

Fehr

SINCE 1857

POULTRY
HARDWARE



HARDWARE YOU CAN TRUST



Zehner

CABLE & WIRE ROPE

1

GALVANIZED CABLE & WIRE ROPE

Part #	Diameter	Type	Breaking Strength (Lbs)	Wt (Lbs)/ 1,000 Ft
2G1062	1/16"	1 x 7	480	10
2G7047	3/64"	7 x 7	270	5
2G7062	1/16"	7 x 7	480	8
2G7093	3/32"	7 x 7	920	16
2G7125	1/8"	7 x 7	1,700	28
2G7156	5/32"	7 x 7	2,600	46
2G7187	3/16"	7 x 7	3,700	64
2G7250	1/4"	7 x 7	6,100	106
2G9093	3/32"	7 x 19	1,000	17
2G9125	1/8"	7 x 19	2,000	29
2G9156	5/32"	7 x 19	2,800	45
2G9187	3/16"	7 x 19	4,200	65
2G9250	1/4"	7 x 19	7,000	111
2G9312	5/16"	7 x 19	9,800	173
2G9375	3/8"	7 x 19	14,400	243
GW25S500	1/2"	6 x 25	24,000	460




- Standard reels in 7x7 and 7x19: 250', 500', 1,000', 2,500', 5,000'.
- Custom lengths and test certificates available. Call 800.431.3095 for details.

STAINLESS STEEL CABLE & WIRE ROPE - TYPE 304 **MADE IN KOREA**

Part #	Diameter	Type	Breaking Strength (Lbs)	Wt (Lbs)/ 1,000 Ft
2S1062	1/16"	1 x 7	480	10
2S7047	3/64"	7 x 7	270	4
2S7062	1/16"	7 x 7	480	8
2S7093	3/32"	7 x 7	920	16
2S7125	1/8"	7 x 7	1,700	28
2S7187	3/16"	7 x 7	3,700	63
2S9093	3/32"	7 x 19	920	17
2S9125	1/8"	7 x 19	1,760	29
2S9156	5/32"	7 x 19	2,400	45
2S9187	3/16"	7 x 19	3,700	65
2S9250	1/4"	7 x 19	6,400	110
2S9312	5/16"	7 x 19	9,000	173
2S9375	3/8"	7 x 19	12,000	243
SW19S500	1/2"	6 x 19	22,800	460

- Also available in Type 316. Call 800.431.3095 for details.





VINYL COATED GALVANIZED CABLE

Part #	Cable Diameter	Finished Diameter	Type	Color	Breaking Strength (Lbs)	Wt (Lbs)/ 1,000 Ft
2V7062-093	1/16"	3/32"	7 x 7	Clear	480	12
2V7093-187	3/32"	3/16"	7 x 7	Clear	920	28
2V7125-187	1/8"	3/16"	7 x 7	Clear	1,700	44
2V9187-250	3/16"	1/4"	7 x 19	Clear	4,200	88
2V9250-312	1/4"	5/16"	7 x 19	Clear	7,000	135
2V9312-375	5/16"	3/8"	7 x 19	Clear	9,800	224




Provides two to three times the corrosion protection of hot dip galvanizing.

ZN-AL COATED STEEL CABLE

Part #	Diameter	Type	Breaking Strength (Lbs)	Wt(Lbs)/ 1,000 Ft
2ZA7125	1/8"	7 x 7	1,700	28
2ZA7187	3/16"	7 x 19	3,700	64
2ZA9250	1/4"	7 x 19	7,000	111
2ZA9312	5/16"	7 x 19	9,800	173
2ZA9375	3/8"	7 x 19	14,400	243

BRIGHT STEEL CENTER WIRE ROPE - IWRC EIPS RRL

Part #	Diameter	Type	Breaking Strength (Lbs)	Wt (Lbs)/ 100 Ft
BW25S500	1/2"	6 x 25	26,600	46
BW25S625	5/8"	6 x 25	41,200	72
BW25S750	3/4"	6 x 25	58,800	104



BRAIDED SYNTHETIC CORD

Part #	Diameter	Length	Breaking Strength (Lbs)	Wt (Lbs)/Ea
NR4X1000	1/8"	1,000 Ft	400	4.5
NR6X1000	3/16"	1,000 Ft.	800	11.5



**STANDARD DUTY THIMBLES - GALVANIZED**

Part #	Cable Size	Dealer Pack	Bulk	Wt (Lbs)/ 100 Pcs
TSD125	1/8"	100	2,000	3.02
TSD187	3/16"	100	2,000	3.16
TSD250	1/4"	100	2,000	3.75
TSD312	5/16"	100	1,000	4.00
TSD375	3/8"	100	1,000	6.25
TSD500	1/2"	10	500	12.00



- Available in AN, Heavy Duty and Stainless Steel. Call 800.431.3095 for details.



▲
Ideal for fencing,
hand rails, animal
runs, and other
applications that
do not sustain
overhead loads.

WIRE ROPE CLIPS - MALLEABLE ELECTROGALVANIZED

Part #	Cable Size	Minimum Clips Required	Dealer Pack	Bulk	Wt (Lbs)/ 100 Pcs
WRCG062	1/16"	3	100	--	2.20
WRCG125	1/8"	3	100	1,250	3.60
WRCG187	3/16"	3	100	750	6.40
WRCG250	1/4"	3	100	--	12.00
WRCG312	5/16"	3	100	--	14.00
WRCG375	3/8"	3	100	250	22.00
WRCG500	1/2"	4	100	--	38.00

- Available in Drop Forged Galvanized and Stainless Steel. Call 800.431.3095 for details.

ALUMINUM SLEEVES

Part #	Cable Size	Dealer Pack	Bulk	Wt (Lbs)/ 100 Pcs
ASL062	1/16"	100	1,000	0.25
ASL078	5/64"	100	1,000	0.16
ASL093	3/32"	100	1,000	0.33
ASL125	1/8"	100	1,000	0.63
ASL156	5/32"	100	1,000	0.84
ASL187	3/16"	100	1,000	1.55
ASL250	1/4"	100	1,000	2.53
ASL312	5/16"	100	1,000	4.60
ASL375	3/8"	100	1,000	5.92



- Available in Stainless Steel, Copper and Zinc Plated. Call 800.431.3095 for details.

PULLEYS

Part #	Pulley Diameter	Bearing	Material	Pieces/Ctn	Wt (Lbs)/Ctn
PUL-2500	3-1/2"	Bearingless	Plastic	50	37.50
PUL-4500	3-1/2"	Bearingless	Cast Iron	25	37.50
PUL-4500WNB	3-1/2"	Needle Bearing	Cast Iron	25	58.00



SPLIT BRACKET PULLEYS

Part #	Pulley Diameter	Pulley	Bracket	Pieces/Pack	Wt (Lbs)/Ctn
SPUL-1500	1-1/2"	Zinc Plated	Zinc Plated	250	56
SPUL-2500	2-1/2"	Zinc Plated	Zinc Plated	100	60
SPUL-2500WBRG	2-1/2"	Zinc Plated	Zinc Plated	50	29
NP1500-SB	1-7/8"	Nylon	Zinc Plated	200	28
NP1500-SBSS	1-7/8"	Nylon	Stainless Steel	200	28
NP2500-SBSS	2-1/2"	Nylon	Stainless Steel	100	26



SWIVEL EYE PULLEYS

Part #	Sheave Diameter	Pulley	Bracket	Pieces/Pack	Wt (Lbs)/Ctn
NPUL-0750	7/8"	Nylon	Zinc Plated	500	23
NPUL-0750SS	7/8"	Nylon	Stainless Steel	500	21
NPUL-1750	1-7/8"	Nylon	Zinc Plated	200	33



GRADE 30 PROOF COIL CHAIN

Self Colored Part #	Zinc Plated Part #	Size	WLL (Lbs)	Ft/Full Drum	Ft/Half Drum	Ft/Pail	Wt (Lbs)/Ft
12B125	--	1/8"	375	1,000	--	--	0.20
12B187	12E187	3/16"	800	1,500	750	250	0.40
12B250	12E250	1/4"	1,300	800	400	133	0.68
12B312	12E312	5/16"	1,900	550	275	92	1.20



STAINLESS STEEL CHAIN - TYPE 316, HIGH STRENGTH

Part #	Size	WLL (Lbs)	Ft/Full Drum	Ft/Half Drum	Ft/Pail	Wt (Lbs)/Ft
SSPC125	1/8"	500	1,000	500	100	0.22
SSPC187	3/16"	1,200	1,000	500	100	0.45
SSPC250	1/4"	2,000	800	400	100	0.65
SSPC312	5/16"	2,800	550	275	100	0.97

Ideal for use in applications where there is a need for material with high corrosive resistance.



DOUBLE LOOP CHAIN

Part #	Description	Finish	WLL (Lbs)	Pack	Wt (Lbs)/Ea
EGDL4X100	#4 x 100 Ft	Zinc Plated	70	Carton	6
EGDL2X200	#2 x 200 Ft	Zinc Plated	115	Reel	16
EGDL1X100	#1 x 100 Ft	Zinc Plated	155	Carton	10
EGDL2-0X250	2/0 x 250 Ft	Zinc Plated	255	Carton	43
SDL3X100	#3 x 100 Ft	304 Stainless	90	Carton	7
SDL1X100	#1 x 100 Ft	304 Stainless	155	Carton	9
SDL2-0X100	2/0 x 100 Ft	304 Stainless	255	Carton	17



STRAIGHT LINK CHAIN

Part #	Description	Finish	WLL (Lbs)	Pack	Wt (Lbs)/Ea
EGSLC2/0X100	2/0 x 100 Ft Coil	Zinc Plated	520	Carton	28
EGSLM4X100	#4 x 100 Ft Machine	Zinc Plated	215	Carton	12
EGSLM2X100	#2 x 100 Ft Machine	Zinc Plated	325	Carton	19
EGSLM2/0X100	2/0 x 100 Ft Machine	Zinc Plated	545	Carton	31



COIL



MACHINE

SASH CHAIN

Part #	Description	Finish	WLL (Lbs)	Pack	Wt (Lbs)/Ea
EGSASH8X500	#8 x 500 Ft	Zinc Plated	75	Carton	20



CEILING WINCH

Part #	Type	Capacity (Lbs)	Drum Capacity	Ratio	Wt (Lbs)/Ea
HB5000	Split Drum	5,000	1/8" x 100 Ft	90:1	23

Used for double pull applications, including poultry feed lines and nests. This winch can replace the work of two conventional winches.



WORM GEAR WINCHES

Part #	Type	Capacity (Lbs)	Drum Capacity	Ratio	Wt (Lbs)/Ea
WGW1500A	Single Drum	1,500	1/8" x 57 Ft	41:1	8.8
WGW1500AB	Double Drum	1,500	1/8" x 57 Ft	41:1	8.9
WGW2000A	Single Drum	2,000	1/8" x 57 Ft	41:1	9.0
WGW2000AB	Double Drum	2,000	1/8" x 57 Ft	41:1	9.2

Used primarily for raising and lowering poultry or livestock equipment. Double drum allows for use of two cables. Self locking for easy stoping.



HAND WINCHES



Part #	Hub Diameter	Capacity (Lbs)	Drum Capacity	Ratio	Way/Speed	Pieces/Ctn	Wt (Lbs)/Ea
RW800	1"	800	5/32" x 33 Ft	3.2:1	1 way / 1 speed	12	4.0
RW1000	1"	1,000	5/32" x 33 Ft	4.1:1	2 way / 1 speed	8	6.5
RW1200	1"	1,200	3/16" x 33 Ft	4.1:1	2 way / 1 speed	8	7.0
RW1200LH	2"	1,200	5/32" x 33 Ft	4.1:1	2 way / 1 speed	8	7.2
RW1400	1"	1,400	3/16" x 33 Ft	4:1	2 way / 1 speed	8	8.0
RW2000	1"	2,000	3/16" x 33 Ft	4:1 / 8:1	2 way / 2 speed	4	10.0
RW2500	1"	2,500	3/16" x 33 Ft	4:1 / 8:1	2 way / 2 speed	4	10.5



| **FEHR BROS. INDUSTRIES, INC.** is an industry leading supplier of cable, wire rope, chain and industrial hardware to thousands of distributors. With over 160 years of international experience, Fehr has a long tradition of excellent service, competitive prices and a strong commitment to quality that has earned us a loyal and growing customer base.